

## Declaration of Performance (according to regulation EU No 305/2011)

Unique ID code **No. TSUK D137 load bearing RoofDek  
D137, 0.90 & 1.25 mm, S320GD, PE15 Colorcoat Lining Enamel  
Plain Web, Perforated Web  
(component specification TQ 000-06-137-B)**

Harmonised  
standard Intended  
use- **According to EN 1090-1:2009+A1:2011  
Load bearing RoofDek**

Manufacturer **Tata Steel UK Limited  
Shotton Works,  
Deeside, Flintshire,  
CH5 2NH  
Tel: +44 (0)1244 892199  
Website : www.tatasteeluk.com**

Authorised  
Representative **Mark Denys - Quality Director.  
Tata Steel  
Wenckebachstraat 1 .  
Velsen Noord . 1951 JZ . NL .  
PO Box 10.000 .  
IJmuiden  
1970 . CA. NL**

System of  
AVCP **System of assessment and verification of constancy of  
performance of the product  
System 2+**

Notified LRQA Nederland BV George Hintzenweg 77, 3068 AX  
Rotterdam, Netherlands. No. 0343 performed the inspection of  
the manufacturing plant, factory production control, the  
continuous surveillance assessment and evaluation. The  
performance of the product identified above is in conformity  
with the set of declared performance/s. This declaration of  
performance is issued under the sole responsibility of Tata  
Steel UK limited

Signed for and on behalf of the manufacturer by:-



Jo Evans - Director, Building System UK  
Tata Steel UK limited

Date:- 10/04/2025

Sensitivity: general

### Declared Performance/s

Essential characteristic	Performance	Harmonised technical specification
Tolerances on dimensions and shape	EN 1090-4	EN 1090-1:2009+A1:2011
Weldability	NPD	
Fracture toughness	NPD	
Reaction to fire	A1	
Release of cadmium and its compounds	NPD	
Emission of radioactivity	NPD	
Durability	NPD	
Execution class (EXC)	EXC4	
Structural characteristics - Design:	NPD	



0343 / CPR / LRQ00002892

Tata Steel  
Strip Products UK

0343

TSUK RoofDek D137 load bearing RoofDek

EN 1090-1:2009+A1:2011

D137 Load bearing RoofDek Profile

To be used in - Load bearing ComFlor

Geometrical data (tolerances in dimensions and shape)	EN 1090-4
Weldability	NPD
Fracture toughness of structural steel products	NPD
Reaction to fire	Class A1
Release of cadmium and its compounds	NPD
Emission of radioactivity	NPD
Durability	NPD
Execution class (EXC)	EXC 4
Structural characteristics -Design:	NPD