


ComFlor[®] 80



SECTION THROUGH PROFILE

| Gauge (mm) | Substrate | Yield (N/mm ²) | Available Coating Type | | | Minimum Length (mm) | Maximum Length (mm) |
|------------|-----------|----------------------------|------------------------|--------------------------|--------------------------------|---------------------|---------------------|
| | | | Zinc* | MagiZinc [®] ** | Colorcoat FD+ [®] *** | | |
| 0.90 | Steel | 350 | Z 275 | MZ 140, MZ 310 | Colorcoat FD+ | 500 | 12000 |
| 1.00 | Steel | 350 | Z 275 | MZ 140, MZ 310 | Colorcoat FD+ | 500 | 12000 |
| 1.20 | Steel | 350 | Z 275 | MZ 140, MZ 310 | Colorcoat FD+ | 500 | 12000 |

* Zinc (Z) Coating only, minimum coating weight 275g/m² (total for both sides).

** MagiZinc[®] MZ (ZM Zinc-Magnesium-Aluminium) Coating only, minimum coating weight 140g/m² and 310g/m² respectively (total for both sides).

*** Colorcoat FD+[®] (ZA Zinc-Aluminium) Galvalloy[®] 255g/m² with Colorcoat Prisma[®] Topcoat (deck underside only).

ComFlor[®], Colorcoat FD+[®] and MagiZinc[®] are registered trademarks of Tata Steel UK Limited.

NOTE:

All dimensions are to the intersections of profile elements and are measured in millimetres unless stated otherwise.

Manufactured to BS EN 10346

Building Systems UK

A Tata Steel enterprise

Tata Steel UK Limited retain the right to amend the construction and technical specifications shown on this drawing without prior notice.

SALES AND TECHNICAL OFFICE

Tata Steel
Building Systems UK
Shotton Works
Deeside
Flintshire
CH5 2NH

TEL: 01244 89 2199

www.tatasteelconstruction.com

Title:

ComFlor[®] 80

Scale:

1:4 @ A4

© Tata Steel UK Ltd.

Org. No.

TS-001-CF80

Rev.

01